

Full overlay hinge C95 with Ø40 cup, Screw-on, Nickel plated , Steel, 200 ut

1237407

Product features

- For 20 ~ 40 mm door thickness.
- Adjustable in 3 dimensions.
- Distance to cup bore edge D = 3 ~15 mm.



Product Information



SKU	1237407
Materials	Steel
Finishings	Nickel plated
Packaging	200 Ut
Description	Screw-on

The Ø40 bowl C95 straight hinge is made of steel with a nickel-plated finish that, in addition to being resistant to corrosion, is a highly durable material that will remain in perfect condition for years. Perfect for bathroom and kitchen furniture. Its opening angle is 95 degrees and it is designed to be placed on doors between 20 and 40 millimeters thick, and it is also three-dimensionally adjustable. It is installed using screws which must be located within a range of 48 millimeters for the bowl. Finally, your presentation for packaging consists of 200 units.

Documentation



Go to web product



Sketch (PDF)



Assembly
instructions (PDF)

Essential Products



Mixed mounting C95 plate,
9,5, Nickel plated , Steel,
200 ut



Mixed mounting C95 plate,
2, Nickel plated , Steel, 200
ut



Supplement for hinge
Screw-on C95 plate, -2,
Nickel plated , Steel, 200 ut



Supplement for hinge
Screw-on C95 plate, 0,
Nickel plated , Steel, 200 ut



Supplement for hinge
Screw-on C95 plate, 2,
Nickel plated , Steel, 200 ut



Euro screw C95 plate, -2,
Nickel plated , Steel, 200 ut



Euro screw C95 plate, 0,
Nickel plated , Steel, 200 ut



Euro screw C95 plate, 2,
Nickel plated , Steel, 200 ut



Supplement for hinge
Knock-in C95 plate, 0,
Nickel plated , Steel, 200 ut



Supplement for hinge
Knock-in C95 plate, 2,
Nickel plated , Steel, 200 ut